

<b>Commercial Name</b>	<b>Lightderm Gly</b>
<b>INCI name</b>	<b>Glycerin &amp; Balanites roxburghii seed oil</b>

ORGANOLEPTIC CHARACTERISTICS	NORM	PROCEDURE
<b>FORM</b>	Opalescent viscous liquid  Shake before using, since a formation of a turbid supernatant and a non-turbid lower phase can be observed	EPH.PCQP.020 <i>Observation / comparison to a standard</i>
<b>COLOR</b>	Yellowish to brownish	EPH.PCQP.021 <i>Observation / comparison to a standard</i>
<b>ODOR</b>	Characteristic	EPH.PCQP.022 <i>Scent / Comparison to a standard</i>
PHYSICOCHEMICAL CHARACTERISTICS	NORM	PROCEDURE
<b>DENSITY</b> <i>at 20°C</i>	$1.200 \leq d \leq 1.300$	EPH.PCQP.018 <i>Pycnometer</i>
<b>pH</b> <i>* In water solution at 10% at 20°C</i>	$4.0 \leq \text{pH} \leq 6.0$	EPH.PCQP.016 <i>pH meter</i>
<b>SOLUBILITY</b>	Hydrosoluble	EPH.PCQP.029 <i>Light scattering observation</i>
MICROBIOLOGY	NORM	PROCEDURE
<b>TOTAL AEROBIC MICROBIAL</b>	< 100 UFC/g	ISO 21149
<b>YEASTS &amp; MOLDS</b>	< 100 UFC/g	ISO 16212